

**Indoor Allergen Analysis Report  
 Allergen Analysis Results**

 InBio® Services

**Batch ID:** 21-0468M

E=ELISA, M=MARIA, T=Endotoxin, Z=Enzyme

**Prism Analytical Technologies**

Sarah Mack  
 2625 Denison Dr., Suite D  
 Mt. Pleasant, MI 48858  
**PHONE:** 989-506-7303      **FAX:**

**Date RECEIVED:** 12/21/2021  
**Date Assayed:** 12/23/2021  
**Date Reported:** 1/4/2022 11:55:55 AM

**Project ID#:** Enthalpy/Prism CoC #98215

Der p 1, Der f 1, Fel d 1, Can f 1, Mus m 1, Rat n 1 and Bla g 2 results reported as microgram allergen per gram dust.

Accession:	Sample:	Mite Allergens:		Cat:	Dog:	Mouse:	Rat:	Cockroach:
		Der p 1	Der f 1	Fel d 1	Can f 1	Mus m 1	Rat n 1	Bla g 2
221-4070	1st floor	<0.012	<0.012	0.087	0.039	<0.002	<0.004	<0.196
221-4071	2nd floor	<0.012	0.938	0.821	0.712	1.137	<0.004	<0.196

**NES = Insufficient sample for the assay**

**Results apply only to the samples tested and provided by the customer.**

**The reporting limits are 0.012 ug/g for Der p 1, Der f 1 and Can f 1; 0.004 ug/g for Fel d 1 and Rat n 1; 0.002 ug/g for Mus m 1 and 0.196 ug/g for Bla g 2.**

MARIA® allergen analysis data is acquired using Bio-Plex® 100/200 instrument and Bio-Plex® Manager 6.1 software.

# Sample Report

Der p 1, Der f 1, Fel d 1, Can f 1, Mus m 1, Rat n 1 and Bla g 2 results reported as microgram allergen per gram dust.

Accession:	Sample:	<i>Mite Allergens:</i>		<i>Cat:</i>	<i>Dog:</i>	<i>Mouse:</i>	<i>Rat:</i>	<i>Cockroach:</i>
		Der p 1	Der f 1	Fel d 1	Can f 1	Mus m 1	Rat n 1	Bla g 2

Guidelines*:	The following guidelines for Dermatophagoides mite, cat, dog and cockroach allergen levels in house dust have been proposed:							
	MITE Group 1			CAT/DOG		Bla g 1		Bla g 2
LOW (not sufficient to cause allergic symptoms)	< 2 µg Mite Group 1/g dust			< 0.2 µg Fel d 1 or Can f 1/g dust		< 0.10 µg Bla g 1/g dust		< 0.20 µg Bla g 2/g dust
SIGNIFICANT (risk for sensitization and bronchial hyperactivity)	2-10 µg Mite Group 1/g dust			8-20 µg Fel d 1 or Can f 1/g dust		0.10-0.80 µg Bla g 1/g dust		0.20-0.4 µg Bla g 2/g dust
HIGH (risk for acute asthmatic attack)	> 10 µg Mite Group 1/g dust			1-8 µg Fel d 1 or Can f 1/g dust		>0.80 µg Bla g 1/g dust		> 1 µg Bla g 2/g dust
CAT/DOG	The results of two studies have observed that increased exposure to high levels of Fel d 1 and Can f 1 have caused individuals to develop a tolerance, which means that individuals could potentially be exposed to 8-20 µg/g dust and only experience mild allergic symptoms. Individuals with less exposure to high levels of Fel d 1 and Can f 1 (1-8µg/g dust) may experience more severe allergic symptoms. 2,4,6							
COCKROACH	Some investigators feel that any detectable level of cockroach allergen is clinically significant because its presence identifies a building in which persons who are cockroach allergic are at risk to develop symptoms because of exposure. 5,6							
	1. J. Allergy Clin Immunol 1989; 83:416-427.			4. Amer J Res Crit Care Med 1997; 155:94-98				
	2. Amer Rev Respir Dis 1990; 141:361-367			5. J. Allergy Clin Immunol 1997; 100:S1-S24				
	3. Amer Rev Respir Dis 1993; 147:573-578			6. Pediatric Allergy Principles and Practice 2003; 261-68				


\* This report furnishes information only and is not intended to be an interpretation of the results. Whether an individual suffers allergic symptoms or not depends not only on the level of allergens in his/her environment but also on his/her medical history and previous exposure.

**Uncertainty of Measurement for MARIA®:**

Der p 1	Der f 1	Mite Group 2	Fel d 1	Can f 1	Rat n 1	Mus m 1	Bla g 2
22.4	24.2	32.4	31.7	22.8	31.8	23.7	26.7

Allergen quantification using the MARIA® multiplex method is based on calibration standards formulated from purified natural or recombinant allergens, with concentration determined by Amino Acid Analysis. Allergen concentrations determined using this method, and as provided in this Allergen Analysis Report, including limits of detection, are subject to the measurement uncertainty shown in the chart above (expressed as a percentage). For example, a reported value of 10ug/g Der p 1 could range from 7.76 to 12.24ug/g.

Report reviewed and approved by:  
**Stephanie Filep, BS**  
 Director of Laboratory Services



**CONFIDENTIALITY NOTICE:** This report may contain confidential or privileged information that is solely for the use of the intended recipient(s). If they have come to you in error you must take no action based on them, nor must you copy or communicate them to anyone. Please notify us immediately and delete this communication.

**NES = Insufficient sample for the assay**

**Results apply only to the samples tested and provided by the customer.**

**The reporting limits are 0.012 ug/g for Der p 1, Der f 1 and Can f 1; 0.004 ug/g for Fel d 1 and Rat n 1; 0.002 ug/g for Mus m 1 and 0.196 ug/g for Bla g 2.**

MARIA® allergen analysis data is acquired using Bio-Plex® 100/200 instrument and Bio-Plex® Manager 6.1 software.